

Sheet 1 of 3

Form 1449*	Docket Number: G&C 122.2-US-U1	Application Number: 09/872,438	
INFORM TIPNOISCLOSURE STATEMENT	Applicant: Larry A. Coldren et al.		
IN AN ASSILICATION	Filing Date: June 1, 2001	Group Art Unit: 2812 2828	

MAR 2 6 2002 U.S. PATENT DOCUMENTS EXAMINATION DE LIMENT NO. DATE NAME CLASS SUBCLASS FILING DATE IF APPROPRIATE 30 372 01/23/90 4,896,325 Coldren 30 372 02/11/92 5,088,097 Ono et al. 372 50 5,790,581 08/04/98 Nitta 37 Z 5,841,799 11/24/98 Hiroki FOREIGN PATENTS DOCUMENT NO. DATE COUNTRY CLASS SUBCLASS TRANSLATION YES NO OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) I.A. Avrutsky et al., "Design of Widely Tunable Semiconductor Lasers and the Concept of Binary Superimposed Gratings (BSG's)," IEEE Journal of Quantum Elec., April 1998, 34(4): 729-741 L.A. Coldren et al., "Photonic Integrated Circuits," Diode Lasers and Photonic Integrated Circuits, John Wiley & Sons, 1995, ch. 8: 342-391 L.A. Coldren et al., "Properties of Widely-Tunable Integrated WDM Sources and Receivers," 1997 Annual Meeting (LEOS), San Francisco, CA, USA, Nov. 1997, Paper No. TuY1, 331-332 [62-63] L.A. Coldren et al., "Tunable Lasers for Photonic Integrated Circuits," IEEE Summer Topical on Integrated Optoelectronics, Lake Tahoe, NV, USA, July 1994, Paper No. W4.1, 88-89 L.A. Coldren, "Widely-Tunable and Vertical-Cavity Lasers: DBR's on Different Planes," Integrated Photonics Research, San Francisco, CA, USA, Feb. 1994, Paper No. ThA3-1, 75-76

EXAMINER: LEPPLET ZAHN	DATE CONSIDERED: 10/30/02
EXAMINER: Initial if reference considered, whether or not citation is	s in conformance with MPEP 609; draw line through citation if not in
conformance and not considered. Include copy of this form for next of	communication to the Applicant.



Sheet 2 of 3

Form 1449*	Docket Number: G&C 122.2-US-U1 Application Number: 09/872,	
INFORMATION DISCLOSURE STATEMENT	Applicant: Larry A. Coldren et al.	
IN AN APPLICATION	Filing Date: June 1, 2001	Group Art Unit-2812 2828

OIPE	
3 2	G. Fish et al., "Compact, 4 X 4 InGaAsP-InP Optical Crossconnect with a Scaleable Architecture," IEE Photonics Tech. Lett., Sept. 1998, 10(9): 42-44
AR \$ 6-2002)	G. Fish et al., "Improved Compositional Uniformity of InGaAsP Grown by MOCVD Through
	Modification of the Susceptor Temperature Profile," Journal of Crystal Growth, 1997, 32-38
MADERALINA	G. Fish et al., "InGaAsP/InP Scaleable, Photonic Crossconnects Using Optically Amplified Suppressed
2.91	Modal Interference Switch Arrays," Integrated Photonics Research '98, Victoria, Canada, March 1998,
HABEN	Paper No. ITuE4, 243-245 [39-41]
0	G. Fish et al., "InGaAsP/InP Suppressed Modal Interference Switches with Integrated Curved
١٤	Amplifiers for Scaleable Photonic Crossconnects," Optical Fiber Conference '98, San Jose, CA, USA,
<i>f</i>)	Feb. 1998, Paper No. TuH4, 1pp
- J	G. Fish et al., "Suppressed Modal Interference Switches with Integrated Curved Amplifiers for Scaleable
スー	Photonic Crossconnects," IEEE Photonics Tech. Lett., Feb. 1998, 10(2)28-30
-!-	M.E. Heimbuch et al., "Tertiarybutylarsine and Tertiarybutylphosphine for the MOCVD Growth of Lov
12	
	Threshold 1.55 µm In _x Ga _{1-x} As/InP Quantum-Well Lasers," Journal of Elec. Materials, 1994, 23(2): 77-8
12	H. Ishii et al., "Broad-range Wavelength Coverage (62.4nm) with Superstructure-Grating DBR Laser,"
4	Elec. Lett., Feb. 29, 1996, 32(5): 454-455
12	H. Ishii et al., "Quasicontinuous Wavelength Tuning in Super-Structure-Grating (SSG) DBR Lasers,"
0)	IEEE Journal of Quantum Elec., March 1996, 32(3): 433-441
	Y-H. Jan et al., "Widely Tunable Integrated Filter/Receiver with Apodized Grating-Assisted
Ll	Codirectional Coupler (INVITED)," SPIE Photonics West '98, San Jose, CA, USA, Jan. 1998, Paper No.
٥	3290-232: 24-27
0	V. Jayaraman et al., "Continuous-Wave Operation of Sampled Grating Tunable Lasers with 10 mwatt
\2	Output Power, >60 nm Tuning, and Monotonic Tuning Characteristics," Indium Phosphide Conference
47	Santa Barbara, CA, USA, March 1994, 33-36 [82-85]
12	V. Jayaraman et al., "Demonstration of Broadband Tunability in a Semiconductor Laser Using Sampled
43	Gratings," Appl. Phys. Lett., May 1992, 60(19): 110-112
13	V. Jayaraman et al., "Extended Tuning Range in Sampled Grating DBR Lasers," IEEE Photonics Tech.
8	Lett., May 1993, 5(5): 103-105
10	V. Jayaraman et al., "Extended Tuning Range Semiconductor Lasers with Sampled Gratings," LEOS '91
<i>X</i>	San Jose, CA, USA, Nov. 1991, Paper No. SDL15.5: 82 [113]
100	V. Jayaraman et al., "Theory, Design, and Performance of Extended Tuning Range Semiconductor Lase
45	with Sampled Gratings," IEEE Journal of Quantum Elec., June 1993, 29(6): 92-102
	V. Jayaraman et al., "Very Wide Tuning Range in a Sampled Grating DBR Laser," Int. Semiconductor
13	Laser Conference, Takamatsu, Japan, Sept. 1992, 108-109
0	V. Jayaraman, et al., "Wide Tunability and Large Mode-Suppression in a Multi-Section Semiconductor
\	Laser Using Sampled Gratings," Integrated Photonics Research '92, New Orleans, LA, USA, April 1992
t?	Paper No. WF1, 306-307 [106-107]
'0' 	V. Jayaraman et al., "Widely Tunable Continuous-Wave InGaAsP/InP Sampled Grating Lasers," Elec.
よく	Lett., Sept. 1994, 30(18): 90-91
9 3	S-L. Lee et al., "Direct Modulation of Widely Tunable Sampled Grating DBR Lasers," SPIE, 1996,
<i>Ŧ</i> ዺ	
	2690(223): 223-230 [64-71] S. L. Lourd J. "Denoting Proposed of Widdle Trankle Second of Contine DRP Leases." Photograph Took
12	S-L. Lee et al., "Dynamic Responses of Widely Tunable Sampled Grating DBR Lasers," Photonics Tech
	Lett, Dec. 1996, 8(12): 72-74
X	S-L. Lee et al., "Field-Induced Guide/Antiguide Modulators on InGaAsP/InP," Elec. Lett., June 9, 1994
_ ` ~	30(12): 954-955 [86-87]
1~	S-L. Lee et al., "Integration of Semiconductor Laser Amplifiers with Sampled Grating Tunable Lasers fo
01	WDM Applications," IEEE Journal of Selected Topics in Quantum Elec., April 1997, 3(2): 49-61

4 -		
EXAMINER: JEFFRET ZAHN	DATE CONSIDERED: 10/30/	200 S
EXAMINER: Initial if reference considered, whether or not citation is in c	onformance with MPEP 609; draw line thro	ugh citation if not in
conformance and not considered. Include copy of this form for next comm	nunication to the Applicant.	



Sheet 3 of 3

Form 1449*	Docket Number: G&C 122.2-US-U1	Application Number: 09/872,438
INFORMATION DISCLOSURE STATEMENT	Applicant: Larry A. Coldren et al.	
IN AN APPLICATION	Filing Date: June 1, 2001	Group Art Unit 2812 2828

13	B. Mason et al., "Design of Sampled Grating DBR Lasers with Integrated Semiconductor Optical Amplifiers," IEEE Photonics Tech. Lett., July 2000, 12(7): 1-3
OFF	B. Mason et al., "Directly Modulated Sampled Grating DBR Lasers for Long-Haul WDM Communication Systems," IEEE Photonics Tech. Lett., 9(3): 46-48
MAR) & 2002	B. Mason et al., "Monolithic Integration of a Widely Tunable Laser and an Electro-Absorption Modulator," Integrated Photonics Research '99, Santa Barbara, CA, USA, July 1999, Paper No. RME2, 53-55 [7-9]
THE PROPERTY OF	B. Mason et al., "Ridge Waveguide Sampled Grating DBR Lasers with 22-nm Quasi-Continuous Tuning Range," IEEE Photonics Technology Letters, Sept. 1998, 10(9): 19-21
3	B. Mason et al., "Sampled Grating DBR Lasers with 22nm Quasi-Continuous Tuning and Monolithically Integrated Wavelength Monitors," Int'l. Semiconductor Laser Conf. '98, Nara, Japan, Oct. 1998, Paper No. ThC4, 22-23
13	B. Mason et al., "Sampled Grating DBR Lasers with Integrated Wavelength Monitoring," Integrated Photonics Research '98, Victoria, Canada, March 1998, Paper No. IMD5, 52-54 [13-15]
13	B. Mason et al., "Tunable Sampled-Grating DBR Lasers with Integrated Wavelength Monitors," IEEE Photonics Tech. Lett., Aug. 1998, 10(8): 16-18
25	B. Mason et al., "Widely Tunable Lasers for Wavelength-Division Multiplexed Communications," Optical Fiber Communication '97, Dallas, TX, USA, Feb. 1997, 45
13	B. Mason et al., "Widely Tunable Sampled Grating DBR Laser with Integrated Electroabsorption Modulator," IEEE Photonics Tech. Lett., June 1999, 11(6): 4-6
13	D.M. Tennant et al., "Multiwavelength Distributed Bragg Reflector LaserGrating Mask," J. Vac. Sci. Technol. B, Nov/Dec 1993, 11(6): 2509-2513
15	

					/	
EXAMINER:	JEFFRET	ZAHN	DATE CONSIDERED: LO	30	12005	
EXAMINER:	Initial if reference cons	idered, whether or not citation	is in conformance with MPEP 609; d	raw line thr	ough citation if not	n



Sheet 1 of 1

进一

1 P Ferm 1449*

IN AN APPLICATION

Docket Number: G&C 122.2-US-U1 Application Number: 09/872,438

Applicant: Larry A. Coldren et al.

Applicant: Larry A. Coldren et al.

Filing Date: June 1, 2001 Group Art Unit: 2828

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
73	4,622,672	11/11/86	Coldren et al.	372	32	
13	5,325,392	06/28/94	Tohmori et al.	372	90	. \
13	5,392,311	02/21/95	Makuta	372	96	
73	5,579,328	11/26/96	Habel et al.	372	31	
13	5,715,271	02/03/98	Huang et al.	372	102	
13	6,345,135	02/05/02	Reid et al.	385	37	
						`
			\			
			FOREIGN PATENTS		r	
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
15	WO 99/40654	08/12/99	PCT	3	1	TES NO
00	WO 997 40034	00/12/33	101			
 				1		
					1	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)						
H. Ishii et al., "Mode Stabilization Method for Superstructure-Grating DBR Lasers," Jnl. of Lightwave Technology, 1998, 16(3): 433-442						
3	G. Sarlet et al., "Wavelength and Mode Stabilization of Widely Tunable SG-DBR and SSG-DBR Lasers," IEEE Photonics Tech. Lett., 1999, 11(11): 1351-1353					
			1			1
						

			<u></u>		
EXAMINER:	GFFRET EAHN	DATE CONSIDERED: 10/3-/	200 2		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in					
conformance and not considered. Include copy of this form for next communication to the Applicant.					